

Technical Data Sheet

Effective: 19/08/2020 Supersedes: 25/07/2019

Automotive Aftermarket Division

3M™ 36109/36110/36111 Perfect-It™ Gelcoat Light Cutting Compound + Wax

1) Part Numbers

36109 : 473ml 36110 : 946ml 36111 : 3.6l

2) Description and end uses

3M[™] Perfect-It[™] Gelcoat Medium Cutting Compound + Wax is designed to remove P800 and finer sand scratches with a 3M[™] compounding pad. It is designed to work over a broad range of climates. Its non-gritty formula works on all types of gelcoat surfaces, leaving an extremely fine finish with easy clean up. To reduce compounding time refine sanding marks with 3M[™] Trizact[™] 1500 before compounding.

3) Physical Properties

Container	Various (See Above)	
Colour	White	
Flash Point - °C	No Flash @ 20°C, 38°C, 60°C or	
	93°C	
Viscosity (CPS) Brookfield	30,000 - 40,000 cps @ 25°C	
Viscometer		
Solids Content (Appx.)	Trade Secret	
Solvent	14.5% VOC	

3M

Technical Data Sheet

Effective: 19/08/2020 Supersedes: 25/07/2019

4) Directions for Use

Directions for Use by Machine:

- 1. Apply material to a 2' x 2' area.
- 2. Use the buffing pad on the buffer to spread material to reduce slinging.
- 3. Buff area using a 3M Wool Compounding pad with buffer set between 1200 and 2000 rpm.
- 4. Buff area using light to medium pressure. As material begins to dry reduce pressure.

Directions for Use by Hand:

- 1. Apply material to a 1'x 1' area using a clean microfiber detailing cloth.
- 2. Rub gelcoat surface in a circular motion. Work the area until the material is gone. Do not allow product to haze.
- 3. Heavily oxidized surfaces may require multiple applications or application by machine.

5) Storage

Keep from freezing.

6) Safety

Refer to product label and safety data sheet for health and safety information before using the product.

3M[™] 36109/36110/36111 Perfect-It[™] Gelcoat Light Cutting Compound + Wax is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent



Technical Data Sheet

Effective: 19/08/2020 Supersedes: 25/07/2019

misrepresentation, 3M expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information

For Additional Health and Safety Information

3M United Kingdom plc	3M Ireland Limited	3M Denmark a/s
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
3M Centre,	The Iveagh Building	Hannemanns Allé 53
Cain Road,	Carrickmines Park	2300 København S
Bracknell,	Carrickmines , Dublin 18	
RG12 8HT	Tel: +353 12160301	
Tel: +44 (0)161 237 6391	aadukenquiries@mmm.com	Tel: +45 43480100
aadukenquiries@mmm.com	www.3Mbodyshop.co.uk	aadukenquiries@mmm.com
www.3Mbodyshop.co.uk		www.3MAuto.dk
3M Finland, Suomen 3M Oy	3M Svenska AB	3M Norge AS
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
Keilaranta 6	Herrjärva torg 4	Kanalveien 2
02150 Espoo	170 67 Solna	2004 Lillestrøm
Tel: 09 5252 1	Tel: 08-922100	Tel: 06384
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3M.fi/autotuotteet	www.3M.se/bileftermarkad	www.3m.no/auto
3M Latvija	3M Eesti OU	3M Lietuva
K.Ulmana 5	Pärnu mnt. 158	A.Goštauto str. 40 A
Riga, LV-1004	11317 Tallinn	LT-01112 Vilnius
Tel: +371 67066120	Tel: +372 6 115 902	Tel: +370 5 2160780
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3m.lv	www.3m.ee	www.3m.lt

© 3M 2020. 3M, Perfect-It and Trizact are all trademarks of the 3M company. All rights reserved