

# **Safety Data Sheet**

Copyright,2020, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	34-6342-9	Version number:	7.00
<b>Revision date:</b>	23/04/2020	Supersedes date:	25/09/2019
Transportation version	number: 1.00 (01/02/2016)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1. Product identifier** 3M Perfect-It<sup>™</sup> Boat Wax 36112 36113

3M Perfect-It<sup>IM</sup> Boat Wax 36112 36113

# **Product Identification Numbers**

UU-0063-2351-1 UU-0063-2352-9

7100094554 7100094553

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Identified uses

Marine

# 1.3. Details of the supplier of the safety data sheet

Address:3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.Telephone:+44 (0)1344 858 000E Mail:tox.uk@mmm.comWebsite:www.3M.com/uk

# 1.4. Emergency telephone number

+44 (0)1344 858 000

# **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

# **CLASSIFICATION:**

Skin Sensitization, Category 1A - Skin Sens. 1A; H317

For full text of H phrases, see Section 16.

# 2.2. Label elements CLP REGULATION (EC) No 1272/2008

# **SIGNAL WORD** WARNING.

**Symbols:** GHS07 (Exclamation mark) |

# Pictograms



Ingredients: Ingredient		CAS Nbr	EC No.	% by Wt
reaction mass of: 5-chloro-2-meth one [EC no. 247-500-7]and 2-met one [EC no. 220-239-6] (3:1)		55965-84-9	911-418-6	< 0.0015
HAZARD STATEMENTS: H317	May cause an allerg	gic skin reaction.		
PRECAUTIONARY STATEME	NTS			
<b>General:</b> P102	Keep out of reach o	of children.		
<b>Prevention:</b> P280E	Wear protective glo	oves.		
<b>Response:</b> P333 + P313	If skin irritation or	rash occurs: Get medical advice	/attention.	
Disposal:				
P501	Dispose of contents regulations.	s/container in accordance with app	blicable local/regional/na	ational/international
SUPPLEMENTAL INFORMAT	ION:			
<b>Supplemental Hazard Statement</b> EUH066		may cause skin dryness or cracki	ng.	
1% of the mixture consists of comp	oonents of unknown a	cute oral toxicity.		
Contains 1% of components with u	nknown hazards to th	ne aquatic environment.		
Information required per Regula Contains a biocidal product (preser				
Notes on labelling				

H304 is not required on the label due to the product's viscosity

# 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	EC No.	REACH Registration No.	% by Wt	Classification
Non-Hazardous Ingredients	Mixture			50 - 70	Substance not classified as hazardous
Hydrocarbons, C11-C13, isoalkanes, <pre>&lt;2% aromatics</pre>		920-901-0		10 - 30	Asp. Tox. 1, H304; EUH066
Kaolin, calcined	92704-41-1	296-473-8		3 - 7	Substance not classified as hazardous
Siloxanes and silicones, di-Me	63148-62-9			1 - 5	Substance not classified as hazardous
Carnauba Wax	8015-86-9	232-399-4		1 - 5	Substance not classified as hazardous
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics		927-676-8		1 - 5	Asp. Tox. 1, H304; EUH066
Synthetic Hydrocarbon Mixture	Trade Secret			0.5 - 1.5	Substance not classified as hazardous
White mineral oil (petroleum)	8042-47-5	232-455-8		0.5 - 1.5	Asp. Tox. 1, H304
Titanium dioxide	13463-67-7	236-675-5		< 0.5	Substance with an occupational exposure limit
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	911-418-6		< 0.0015	EUH071; Acute Tox. 3, H301; Skin Corr. 1C, H314; Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=100; Aquatic Chronic 1, H410,M=100 - Nota B Acute Tox. 2, H330; Acute Tox. 2, H310

Note: Any entry in the EC# column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# Inhalation

Remove person to fresh air. If you are concerned, get medical advice.

# Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

# Eye contact

No need for first aid is anticipated.

# If swallowed

Rinse mouth. If you feel unwell, get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

# **4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

# **SECTION 5: Fire-fighting measures**

# 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

# 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

# Hazardous Decomposition or By-Products

Substance formaldehyde Carbon monoxide Carbon dioxide. Irritant vapours or gases. <u>Condition</u> During combustion. During combustion. During combustion. During combustion.

# **5.3.** Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

# **6.2.** Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

# 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

# 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from strong bases. Store away from oxidising agents.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Titanium dioxide	13463-67-7	UK HSC	TWA(Inhalable):10	
			mg/m3;TWA(respirable):4	
			mg/m <sup>3</sup>	

UK HSC : UK Health and Safety Commission TWA: Time-Weighted-Average STEL: Short Term Exposure Limit CEIL: Ceiling

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures: Information on recommended monitoring procedures can be obtained from UK HSC

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

Eye/face protection None required.

#### **Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	<b>Breakthrough</b> Time
Polymer laminate	No data available	No data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used:Nitrile rubber.

Applicable Norms/Standards Use gloves tested to EN 374

# **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

*Applicable Norms/Standards* Use a respirator conforming to EN 140 or EN 136: filter types A & P

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance		
Physical state	Liquid.	
Colour	Light Yellow	
Odor	Banana	
Odour threshold	No data available.	
рН	7.5 - 8.5	
Boiling point/boiling range	198.9 °C	
Melting point	Not applicable.	
Flammability (solid, gas)	Not applicable.	
Explosive properties	Not classified	
Oxidising properties	Not classified	
Flash point	Flash point $> 93 \text{ °C} (200 \text{ °F})$	
Autoignition temperature	No data available.	
Flammable Limits(LEL)	No data available.	
Flammable Limits(UEL)	No data available.	
Vapour pressure	No data available.	
Relative density	0.95 - 0.986 [ <i>Ref Std</i> :WATER=1]	
Water solubility	Moderate	
Solubility- non-water	No data available.	
Partition coefficient: n-octanol/water	No data available.	
Evaporation rate	No data available.	
Vapour density	No data available.	
Decomposition temperature	No data available.	
Viscosity	17,000 - 30,000 mPa-s [@ 25 °C ]	
Density	950 - 986 g/l	

9.2. Other information EU Volatile Organic Compounds Percent volatile

*No data available.* 85.6 % weight [*Test Method*:Estimated]

# **SECTION 10: Stability and reactivity**

# **10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

#### **10.2** Chemical stability

Stable.

**10.3 Possibility of hazardous reactions** Hazardous polymerisation will not occur.

**10.4 Conditions to avoid** Temperatures above the boiling point.

### **10.5 Incompatible materials** Strong acids. Strong bases. Strong oxidising agents.

10.6 Hazardous decomposition products

# **Condition**

None known.

Substance

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# **11.1 Information on Toxicological effects**

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

May cause additional health effects (see below).

# Skin contact

Dermal Defatting: Signs/symptoms may include localised redness, itching, drying and cracking of skin.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### **Additional Health Effects:**

#### **Carcinogenicity:**

Contains a chemical or chemicals which can cause cancer.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

# Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Inhalation- Vapour(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Inhalation- Vapour		LC50 estimated to be 20 - 50 mg/l
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Kaolin, calcined	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Kaolin, calcined	Ingestion	Rat	LD50 > 2,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation- Vapour		LC50 estimated to be 20 - 50 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation- Vapour	Professio nal judgeme nt	LC50 estimated to be 20 - 50 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Siloxanes and silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
Carnauba Wax	Dermal		LD50 estimated to be > 5,000 mg/kg
Carnauba Wax	Ingestion	Rat	LD50 > 8,800 mg/kg
White mineral oil (petroleum)	Dermal	Rabbit	LD50 > 2,000 mg/kg
White mineral oil (petroleum)	Ingestion	Rat	LD50 > 5,000 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 6.82 mg/l
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Rabbit	LD50 87 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.33 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) A TE = acute toxicity estimate	Ingestion	Rat	LD50 40 mg/kg

 $\overline{\text{ATE}}$  = acute toxicity estimate

# Skin Corrosion/Irritation

Name	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Rabbit	Minimal irritation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Rabbit	Minimal irritation
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Carnauba Wax	Professio	No significant irritation
	nal	
	judgemen	
	t	
White mineral oil (petroleum)	Rabbit	No significant irritation
Titanium dioxide	Rabbit	No significant irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

# Serious Eye Damage/Irritation

Name	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Rabbit	Mild irritant

Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Rabbit	Mild irritant
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Carnauba Wax	Professio	No significant irritation
	nal	
	judgemen	
	t	
White mineral oil (petroleum)	Rabbit	Mild irritant
Titanium dioxide	Rabbit	No significant irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

### **Skin Sensitisation**

Name	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Guinea	Not classified
	pig	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Guinea	Not classified
	pig	
White mineral oil (petroleum)	Guinea	Not classified
	pig	
Titanium dioxide	Human	Not classified
	and	
	animal	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Human	Sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

### Photosensitisation

Name	Species	Value
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Human	Not sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

# **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

### Germ Cell Mutagenicity

Name	Route	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	In Vitro	Not mutagenic
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	In vivo	Not mutagenic
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In Vitro	Not mutagenic
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In vivo	Not mutagenic
White mineral oil (petroleum)	In Vitro	Not mutagenic
Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	In vivo	Not mutagenic
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	In Vitro	Some positive data exist, but the data are not
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		sufficient for classification

# Carcinogenicity

Name	Route	Species	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not	Not	Not carcinogenic
	specified.	available	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not	Not	Not carcinogenic
	specified.	available	
White mineral oil (petroleum)	Dermal	Mouse	Not carcinogenic
White mineral oil (petroleum)	Inhalation	Multiple	Not carcinogenic
		animal	
		species	
Titanium dioxide	Ingestion	Multiple	Not carcinogenic
		animal	

		species	
Titanium dioxide	Inhalation	Rat	Carcinogenic.
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Mouse	Not carcinogenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	Not carcinogenic

# **Reproductive Toxicity**

# **Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for female reproduction	Not available	NOAEL NA	1 generation	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for male reproduction	Not available	NOAEL NA	28 days	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for development	Not available	NOAEL NA	during gestation	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for female reproduction	Not available	NOAEL NA	1 generation	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for female reproduction	Rat	NOAEL Not available	1 generation	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for male reproduction	Not available	NOAEL NA	28 days	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for male reproduction	Rat	NOAEL Not available	28 days	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for development	Not available	NOAEL NA	during gestation	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for development	Rat	NOAEL Not available	during gestation	
White mineral oil (petroleum)	Ingestion	Not classified for female reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks	
White mineral oil (petroleum)	Ingestion	Not classified for male reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks	
White mineral oil (petroleum)	Ingestion	Not classified for development	Rat	NOAEL 4,350 mg/kg/day	during gestation	
reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220- 239-6] (3:1)	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation	
reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220- 239-6] (3:1)	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation	
reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220- 239-6] (3:1)	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis	

# Target Organ(s)

# Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
White mineral oil (petroleum)	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,381 mg/kg/day	90 days
White mineral oil (petroleum)	Ingestion	liver   immune system	Not classified	Rat	NOAEL 1,336 mg/kg/day	90 days
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure

# Specific Target Organ Toxicity - repeated exposure

# **Aspiration Hazard**

Name	Value
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Aspiration hazard
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard
White mineral oil (petroleum)	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# 12.1. Toxicity

No product test data available.

Material	CAS #	Organism	Туре	Exposure	Test endpoint	Test result
Hydrocarbons, C11- C13, isoalkanes, <2% aromatics	920-901-0	Water flea	Estimated	48 hours	Effect Level 50%	>1,000 mg/l
Hydrocarbons, C11- C13, isoalkanes, <2% aromatics	920-901-0	Rainbow trout	Estimated	96 hours	Lethal Level 50%	>1,000 mg/l
Hydrocarbons, C11- C13, isoalkanes, <2% aromatics	920-901-0	Green Algae	Estimated	72 hours	Effect Level 50%	>1,000 mg/l
Hydrocarbons, C11- C13, isoalkanes, <2% aromatics	920-901-0	Green Algae	Estimated	72 hours	No obs Effect Level	1,000 mg/l
Kaolin, calcined	92704-41-1	Green algae	Estimated	72 hours	EC50	2,500 mg/l
Kaolin, calcined	92704-41-1	Zebra Fish	Estimated	96 hours	LC50	>100 mg/l
Kaolin, calcined	92704-41-1	Water flea	Estimated	48 hours	EC50	>100 mg/l
Kaolin, calcined	92704-41-1	Rainbow trout	Estimated	30 days	NOEC	>100 mg/l
Kaolin, calcined	92704-41-1	Green algae	Estimated	72 hours	Effect Concentration 10%	41 mg/l
Carnauba Wax	8015-86-9		Data not available or insufficient for classification			

Hydrocarbons, C12- C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Green Algae	Estimated	72 hours	Effect Level 50%	>1,000 mg/l
Hydrocarbons, C12- C16, isoalkanes,	927-676-8	Green Algae	Estimated	72 hours	Effect Level 50%	>1,000 mg/l
cyclics, <2% aromatics Hydrocarbons, C12- C16, isoalkanes,	927-676-8	Crustacea other	Estimated	96 hours	Lethal Level 50%	>10,000 mg/l
cyclics, <2% aromatics Hydrocarbons, C12-	927-676-8	Water flea	Experimental	48 hours	Effect Level 50%	>1,000 mg/l
C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Rainbow trout		0( h a	Lethal Level 50%	>1,000 mg/l
Hydrocarbons, C12- C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Rainbow trout	Estimated	96 hours	Lethal Level 50%	>1,000 mg/1
Hydrocarbons, C12- C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Green Algae	Estimated	72 hours	No obs Effect Level	1,000 mg/l
Hydrocarbons, C12- C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Rainbow trout	Experimental	96 hours	Lethal Level 50%	>88,444 mg/l
Hydrocarbons, C12- C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Water flea	Estimated	48 hours	Effect Level 50%	>1,000 mg/l
Hydrocarbons, C12- C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Water flea	Experimental	21 days	No obs Effect Level	1 mg/l
Hydrocarbons, C12- C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Green Algae	Estimated	72 hours	No obs Effect Level	1,000 mg/l
	63148-62-9		Data not available or insufficient for classification			
White mineral oil (petroleum)	8042-47-5	Water flea	Estimated	48 hours	Effect Level 50%	>100 mg/l
White mineral oil (petroleum)	8042-47-5	Bluegill	Experimental	96 hours	Lethal Level 50%	>100 mg/l
White mineral oil (petroleum)	8042-47-5	Green algae	Estimated	72 hours	No obs Effect Level	>100 mg/l
White mineral oil (petroleum)	8042-47-5	Water flea	Estimated	21 days	No obs Effect Level	>100 mg/l
Titanium dioxide	13463-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	EC50	>10,000 mg/l
Titanium dioxide	13463-67-7	Fathead minnow	Experimental	96 hours	LC50	>100 mg/l
Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	NOEC	5,600 mg/l
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1)	55965-84-9	Green Algae	Experimental	72 hours	EC50	0.027 mg/l
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1)	55965-84-9	Diatom	Experimental	72 hours	EC50	0.0199 mg/l
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol-	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.19 mg/l

3-one [EC no. 220-239-	1					
6] (3:1)						
reaction mass of: 5-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l
chloro-2-methyl-4-	55705 04 7	water nea	Experimental	40 110013	Leso	0.099 mg/1
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Sheepshead	Even agrient antal	96 hours	LC50	0.3 mg/l
	55965-84-9	Minnow	Experimental	96 nours	LCSU	0.3 mg/1
chloro-2-methyl-4-		Minnow				
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Copepods	Experimental	48 hours	EC50	0.007 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l
chloro-2-methyl-4-			1			e e
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
chloro-2-methyl-4-	55705 01 7	Diatom	Experimental	10 Hours	Rolle	0.00019 mg/1
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Fathead minnow	Experimental	36 days	No obs Effect	0.02 mg/l
chloro-2-methyl-4-	33703-04-9	rameau miniow	Experimental	50 days	Level	0.02 IIIg/1
					Levei	
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)	55065.04.0				NOTC	
reaction mass of: 5-	55965-84-9	Green Algae	Experimental	72 hours	NOEC	0.004 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Estimated Biodegradation	28 days	BOD	31.3 % BOD/ThBOD	OECD 301F - Manometric respirometry
Kaolin, calcined	92704-41-1	Data not availbl- insufficient			N/A	
Carnauba Wax	8015-86-9	Estimated Biodegradation	28 days	CO2 evolution	96 % weight	OECD 301B - Modified sturm or CO2
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Estimated Biodegradation	28 days	BOD	31.3 % BOD/ThBOD	OECD 301F - Manometric respirometry
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Experimental Biodegradation	28 days	BOD	22 % BOD/ThBOD	OECD 301F - Manometric respirometry

Siloxanes and silicones, di- Me	63148-62-9	Data not availbl- insufficient			N/A	
White mineral oil (petroleum)	8042-47-5	Experimental Biodegradation	28 days	CO2 evolution	0 % weight	OECD 301B - Modified sturm or CO2
Titanium dioxide	13463-67-7	Data not availbl- insufficient			N/A	
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Estimated Photolysis		Photolytic half-life (in air)	1.2 days (t 1/2)	Other methods
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Hydrolysis		Hydrolytic half-life	> 60 days (t 1/2)	Other methods
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Estimated Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2

# 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Kaolin, calcined	92704-41-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Carnauba Wax	8015-86-9	Estimated Bioconcentration		Bioaccumulation factor	7.4	Estimated: Bioconcentration factor
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and silicones, di- Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
White mineral oil (petroleum)	8042-47-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Titanium dioxide	13463-67-7	Experimental BCF- Carp	42 days	Bioaccumulation factor	9.6	Other methods
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Estimated BCF - Bluegill	28 days	Bioaccumulation factor	54	OECD 305E - Bioaccumulation flow- through fish test

# 12.4. Mobility in soil

Please contact manufacturer for more details

# 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

# 12.6. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

# EU waste code (product as sold)

20 01 29\* Detergents containing dangerous substances

# **SECTION 14: Transportation information**

UU-0063-2351-1, UU-0063-2352-9

Not hazardous for transportation

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity			
<b>Ingredient</b>	CAS Nbr	<u>Classification</u>	<b>Regulation</b>
Titanium dioxide	13463-67-7	Grp. 2B: Possible human	International Agency
		carc.	for Research on Cancer

# 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

# **SECTION 16: Other information**

#### List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.

H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **Revision information:**

CLP: Ingredient table information was added.

Contains statement for sensitizers information was deleted.

Label: CLP Classification information was added.

Label: CLP Classification information was modified.

Label: CLP Environmental Hazard Statements information was deleted.

Label: CLP Precautionary - General information was added.

Label: CLP Precautionary - Prevention information was added.

Label: CLP Precautionary - Response information was added.

Label: CLP Supplemental Hazard Statements information was added.

Label: Graphic information was added.

Label: Signal Word information was added.

List of sensitizers information was deleted.

Section 3: Composition/ Information of ingredients table information was modified.

Section 4: First aid for inhalation information information was modified.

Section 5: Hazardous combustion products table information was modified.

Section 8: glove data value information was modified.

Section 8: Personal Protection - Skin/hand information information was modified.

Section 08: Skin protection - incidental contact text information was added.

Section 08: Skin protection - incidental contact information was added.

Section 11: Acute Toxicity table information was modified.

Section 11: Aspiration Hazard Table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Health Effects - Ingestion information information was modified.

Section 11: Health Effects - Inhalation information information was modified.

Photosensitisation Table information was modified.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 15: Label remarks and EU Detergent information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

Sectio 16: UK disclaimer information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

# 3M United Kingdom MSDSs are available at www.3M.com/uk