

## MOTIP Paint Remover

Ord.-no.: 090410

### Technical Information



Remove old layers of paint from surfaces of stone, concrete, asphalt, metal and wood with MOTIP Paint Remover. Paint Remover has a gel structure and is user-friendly.

#### Quality & properties

- Spray pattern approximately 8 centimetre wide
- Gel structure
- Very effective
- User-friendly

#### Physical & chemical data

- Base: Methylal
- Colourname: no colour
- Smell: Characteristic
- Surfaces: Paintwork, Stonework, Pavement
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Spray rate: 1,5
- Vapour pressure: 4000/20 bar
- Flash point: n.a. °C
- Relative density: 1.25 g/ml
- Storage stability: 10 y
- Content: 500 ML

#### How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- The aerosol should have room temperature.
- Best processing temperature 10 to 25°C.
- Before use, shake the aerosol and test the compatibility of the surface.
- Apply paint remover generously and allow to take effect. The time to take effect depends on the quality and age of the lacquer to be removed.
- Then, remove with a tool appropriate for this purpose. When required, repeat the treatment.
- Contaminated paint remover should be regarded as chemical waste.

#### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

#### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

#### Marking/Labeling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline +31 (0) 561 69 44 00 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of May 10, 2022 – This release replaces all eventually earlier issued versions.