

Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU



IMPRIMAX INCOLORA COMPONENTE B - Código - 48725

(B)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: IMPRIMAX INCOLORA COMPONENTE B - Código - 48725 (B)

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Primers and hardening base layers.. For professional user only. Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

INDUSTRIAS JUNO, S.A. Barrio Sakoni, 10 48950 ERANDIO - Vizcaya - España Phone .: +34 944 670 062 -Fax: +34 944 675 832 laboratorio@juno.es www.juno.es

1.4 Emergency telephone number: +34 944 670 062 (8:00 -15:00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) nº 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) nº 1272/2008.

Acute Tox. 4: Acute toxicity, Category 4, H312+H332 Eye Dam. 1: Serious eye damage, Category 1, H318 Flam. Liq. 3: Flammable liquids, Category 3, H226 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1: Sensitisation, skin, Category 1, H317 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

2.2 Label elements:

CLP Regulation (EC) nº 1272/2008:

Dange



Hazard statements:

Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled Eye Dam. 1: H318 - Causes serious eye damage Flam. Lig. 3: H226 - Flammable liquid and vapour Skin Irrit. 2: H315 - Causes skin irritation Skin Sens. 1: H317 - May cause an allergic skin reaction STOT SE 3: H336 - May cause drowsiness or dizziness

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280: Wear protective gloves/protective clothing/eye protection/face protection

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina

P370+P378: In case of fire: Use ABC powder extinguisher to extinguish.

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality Supplementary information:

EUH208: Contains Trientine. May produce an allergic reaction

Substances that contribute to the classification

1-methoxy-2-propanol (CAS: 107-98-2); Polyamide (CAS: 68410-23-1); 4-methylpentan-2-one (CAS: 108-10-1); Xylene (CAS: 1330-20-7)

Acute Toxicity Estimate (ATE mix):

74,05 % (oral), 85,77 % (dermal), 79,53 % (inhalation) of the mixture consists of ingredient(s) of unknown toxicity





(B)

SECTION 2: HAZARDS IDENTIFICATION (continued)

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of additives and resins in solvents

Components:

In accordance with Annex II of Regulation (EC) nº1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentratio
CAS:	107-98-2	1-methoxy-2-propa	ATP ATP01	
	203-539-1 603-064-00-3 : 01-2119457435-35-XXXX	Regulation 1272/2008	Flam. Liq. 3: H226; STOT SE 3: H336 - Warning	45 - <60 %
CAS:	68410-23-1	Polyamide ¹	Self-classified	
	614-452-7 Non-applicable : Non-applicable	Regulation 1272/2008	Eye Dam. 1: H318 - Danger	25 - <45 %
CAS:	108-10-1	4-methylpentan-2-o	ne 1 ATP CLP00	
	203-550-1 606-004-00-4 : 01-2119473980-30-XXXX	Regulation 1272/2008	Acute Tox. 4: H332; Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H335; EUH066 - ①	1 - <10 %
	1330-20-7	Xylene 1	ATP CLP00	
	215-535-7 601-022-00-9 : 01-2119488216-32-XXXX	Regulation 1272/2008	Acute Tox. 4: H312+H332; Flam. Liq. 3: H226; Skin Irrit. 2: H315 - Warning	1 - <10 %
CAS:	919-30-2	3-aminopropyltrieth	oxysilane ¹ Self-classified	
	213-048-4 612-108-00-0 : 01-2119480479-24-XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317 - Danger	1 - <10 %
CAS:	90-72-2	2,4,6-tris(dimethyla	minomethyl)phenol 1 ATP CLP00	
	202-013-9 603-069-00-0 : 01-2119560597-27-XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	1 - <10 %
CAS:	100-41-4			
	202-849-4 601-023-00-4 : 01-2119489370-35-XXXX	Regulation 1272/2008	Acute Tox. 4: H332; Asp. Tox. 1: H304; Flam. Liq. 2: H225; STOT RE 2: H373 -	1 - <10 %
	112-24-3	Trientine ¹	ATP CLP00	
EC: 203-950-6 Index: 612-059-00-5 REACH: Non-applicable		Regulation 1272/2008	Acute Tox. 4: H312; Aquatic Chronic 3: H412; Skin Corr. 1B: H314; Skin Sens. 1: H317 -	0,1 - <1 %

¹ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance. **By skin contact:**





(B)

SECTION 4: FIRST AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2). IT IS RECOMMENDED NOT to use tap water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inertization agent. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE



(B)

SECTION 7: HANDLING AND STORAGE (continued)

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 94/9/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C
Maximum time:	24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the work environment

Identification	Er	vironmental limits	
1-methoxy-2-propanol	IOELV (8h)	100 ppm	375 mg/m ³
CAS: 107-98-2	IOELV (STEL)	150 ppm	563 mg/m ³
EC: 203-539-1	Year	2017	
4-methylpentan-2-one	IOELV (8h)	20 ppm	83 mg/m ³
CAS: 108-10-1	IOELV (STEL)	50 ppm	208 mg/m ³
EC: 203-550-1	Year	2017	
Xylene	IOELV (8h)	50 ppm	221 mg/m ³
CAS: 1330-20-7	IOELV (STEL)	100 ppm	442 mg/m ³
EC: 215-535-7	Year	2017	
Ethylbenzene	IOELV (8h)	100 ppm	442 mg/m ³
CAS: 100-41-4	IOELV (STEL)	200 ppm	884 mg/m ³
EC: 202-849-4	Year	2017	

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
1-methoxy-2-propanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 107-98-2	Dermal	Non-applicable	Non-applicable	50,6 mg/kg	Non-applicable
EC: 203-539-1	Inhalation	Non-applicable	553,5 mg/m ³	369 mg/m ³	Non-applicable





(B)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
4-methylpentan-2-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-10-1	Dermal	Non-applicable	Non-applicable	11,8 mg/kg	Non-applicable
EC: 203-550-1	Inhalation	208 mg/m ³	208 mg/m ³	83 mg/m ³	83 mg/m ³
Xylene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1330-20-7	Dermal	Non-applicable	Non-applicable	180 mg/kg	Non-applicable
EC: 215-535-7	Inhalation	289 mg/m ³	289 mg/m ³	77 mg/m ³	Non-applicable
3-aminopropyltriethoxysilane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 919-30-2	Dermal	8,3 mg/kg	Non-applicable	8,3 mg/kg	Non-applicable
EC: 213-048-4	Inhalation	59 mg/m ³	Non-applicable	59 mg/m ³	Non-applicable
2,4,6-tris(dimethylaminomethyl)phenol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 90-72-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 202-013-9	Inhalation	Non-applicable	Non-applicable	0,31 mg/m ³	Non-applicable
Ethylbenzene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 100-41-4	Dermal	Non-applicable	Non-applicable	180 mg/kg	Non-applicable
EC: 202-849-4	Inhalation	Non-applicable	293 mg/m ³	77 mg/m ³	Non-applicable

DNEL (General population):

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
1-methoxy-2-propanol	Oral	Non-applicable	Non-applicable	3,3 mg/kg	Non-applicable
CAS: 107-98-2	Dermal	Non-applicable	Non-applicable	18,1 mg/kg	Non-applicable
EC: 203-539-1	Inhalation	Non-applicable	Non-applicable	43,9 mg/m ³	Non-applicable
4-methylpentan-2-one	Oral	Non-applicable	Non-applicable	4,2 mg/kg	Non-applicable
CAS: 108-10-1	Dermal	Non-applicable	Non-applicable	4,2 mg/kg	Non-applicable
EC: 203-550-1	Inhalation	Non-applicable	Non-applicable	14,7 mg/m ³	Non-applicable
Xylene	Oral	Non-applicable	Non-applicable	1,6 mg/kg	Non-applicable
CAS: 1330-20-7	Dermal	Non-applicable	Non-applicable	108 mg/kg	Non-applicable
EC: 215-535-7	Inhalation	Non-applicable	Non-applicable	14,8 mg/m ³	Non-applicable
3-aminopropyltriethoxysilane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 919-30-2	Dermal	5 mg/kg	Non-applicable	5 mg/kg	Non-applicable
EC: 213-048-4	Inhalation	17,4 mg/m ³	Non-applicable	17,4 mg/m ³	Non-applicable
Ethylbenzene	Oral	Non-applicable	Non-applicable	1,6 mg/kg	Non-applicable
CAS: 100-41-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 202-849-4	Inhalation	Non-applicable	Non-applicable	15 mg/m ³	Non-applicable

PNEC:

Identification				
1-methoxy-2-propanol	STP	100 mg/L	Fresh water	10 mg/L
CAS: 107-98-2	Soil	5,49 mg/kg	Marine water	1 mg/L
EC: 203-539-1	Intermittent	100 mg/L	Sediment (Fresh water)	52,3 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	5,2 mg/kg
4-methylpentan-2-one	STP	27,5 mg/L	Fresh water	0,6 mg/L
CAS: 108-10-1	Soil	1,3 mg/kg	Marine water	0,06 mg/L
EC: 203-550-1	Intermittent	1,5 mg/L	Sediment (Fresh water)	8,27 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,83 mg/kg
Xylene	STP	6,58 mg/L	Fresh water	0,327 mg/L
CAS: 1330-20-7	Soil	2,31 mg/kg	Marine water	0,327 mg/L
EC: 215-535-7	Intermittent	0,327 mg/L	Sediment (Fresh water)	12,46 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	12,46 mg/kg
3-aminopropyltriethoxysilane	STP	13 mg/L	Fresh water	0,33 mg/L
CAS: 919-30-2	Soil	0,05 mg/kg	Marine water	0,033 mg/L
EC: 213-048-4	Intermittent	3,3 mg/L	Sediment (Fresh water)	1,2 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,12 mg/kg





(B)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
2,4,6-tris(dimethylaminomethyl)phenol	STP	0,2 mg/L	Fresh water	0,084 mg/L
CAS: 90-72-2	Soil	Non-applicable	Marine water	0,0084 mg/L
EC: 202-013-9	Intermittent	0,84 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Ethylbenzene	STP	9,6 mg/L	Fresh water	0,1 mg/L
CAS: 100-41-4	Soil	2,68 mg/kg	Marine water	0,01 mg/L
EC: 202-849-4	Intermittent	0,1 mg/L	Sediment (Fresh water)	13,7 mg/kg
	Oral	20 g/kg	Sediment (Marine water)	1,37 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases, vapours and particles		EN 149:2001+A1:2009 EN 405:2001+A1:2009	Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN 374-1:2003 EN 374-3:2003/AC:2006 EN 420:2003+A1:2009	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application

D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face mask		EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Bodily protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties		EN 1149-1,2,3 EN 13034:2005+A1:2009 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2001 EN ISO 6530:2005 EN ISO 13688:2013 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk, with antistatic and heat resistant properties		EN 13287:2008 EN ISO 20345:2011 EN 13832-1:2006	Replace boots at any sign of deterioration.



Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU



IMPRIMAX INCOLORA COMPONENTE B - Código - 48725

(B)

ON 8: EXPOSURE CO	NTROLS/PERSONAL PROTECTIO	N (continued)	
Emergency measure	Standards	Emergency measure	Standards
	ANSI Z358-1 ISO 3864-1:2002	∞ +	DIN 12 899 ISO 3864-1:2002
Emergency shower		Eyewash stations	
spillage of both the produ	ommunity legislation for the protection ct and its container. For additional inf ounds:		
spillage of both the produ Volatile organic compo	ct and its container. For additional inf	ormation see subsection 7.1.D	
spillage of both the produ Volatile organic compo With regard to Directive 2	ct and its container. For additional inf ounds:	ormation see subsection 7.1.D	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply):	ct and its container. For additional inf bunds: 010/75/EU, this product has the follow 68,7 % weight	ormation see subsection 7.1.D	
spillage of both the produ Volatile organic compo	ct and its container. For additional inf bunds: 010/75/EU, this product has the follow 68,7 % weight	ormation see subsection 7.1.D	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 °C:	ct and its container. For additional inf bunds: 010/75/EU, this product has the follow 68,7 % weight 648,97 kg/m ³ (648,97 g/L) 4,88	ormation see subsection 7.1.D	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 °C: Average carbon number: Average molecular weight	ct and its container. For additional inf bunds: 010/75/EU, this product has the follow 68,7 % weight 648,97 kg/m ³ (648,97 g/L) 4,88	ormation see subsection 7.1.D	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 °C: Average carbon number: Average molecular weight	ct and its container. For additional inf bunds: 1010/75/EU, this product has the follow 68,7 % weight 648,97 kg/m ³ (648,97 g/L) 4,88 :: 93,92 g/mol	ormation see subsection 7.1.D	

EUlimit for the product (Cat. A.H): 750 g/L (2010)

Components: Non-applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

information on basic physical and chemical prop	
For complete information see the product datasheet.	
Appearance:	
Physical state at 20 °C:	Liquid
Appearance:	Viscous
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	128 °C
Vapour pressure at 20 °C:	1092 Pa
Vapour pressure at 50 °C:	5597 Pa (6 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	945 kg/m³
Relative density at 20 °C:	0,945
Dynamic viscosity at 20 °C:	9,89 cP
Kinematic viscosity at 20 °C:	10,47 cSt
Kinematic viscosity at 40 °C:	>20,5 cSt
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.





(B)

SECT	ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)						
	Decomposition temperature:	Non-applicable *					
	Melting point/freezing point:	Non-applicable *					
	Explosive properties:	Non-applicable *					
	Oxidising properties:	Non-applicable *					
	Flammability:						
	Flash Point:	28 °C					
	Flammability (solid, gas):	Non-applicable *					
	Autoignition temperature:	270 °C					
	Lower flammability limit:	Not available					
	Upper flammability limit:	Not available					
	Explosive:						
	Lower explosive limit:	Non-applicable *					
	Upper explosive limit:	Non-applicable *					
9.2	Other information:						
	Surface tension at 20 °C:	Non-applicable *					
	Refraction index:	Non-applicable *					
	*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.					

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity				
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable				
Incompatible materials:								

10.5

Acids	Water	Combustive materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. With possibility of effects that are hazardous to the health, it is recommended not to breathe the vapours for long periods of time.

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A.- Ingestion (acute effect):



(B)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces serious eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - · Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, however, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

- Skin: Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	Acute toxicity	
Xylene	LD50 oral	2100 mg/kg	Rat
CAS: 1330-20-7	LD50 dermal	1100 mg/kg (ATEi)	Rat
EC: 215-535-7	LC50 inhalation	11 mg/L (4 h) (ATEi)	
Ethylbenzene	LD50 oral	3500 mg/kg	Rat
CAS: 100-41-4	LD50 dermal	15354 mg/kg	Rabbit
EC: 202-849-4	LC50 inhalation	17,2 mg/L (4 h)	Rat
3-aminopropyltriethoxysilane	LD50 oral	1491 mg/kg	Rat
CAS: 919-30-2	LD50 dermal	4000 mg/kg	Rabbit
EC: 213-048-4	LC50 inhalation	Non-applicable	
2,4,6-tris(dimethylaminomethyl)phenol	LD50 oral	1200 mg/kg	Rat
CAS: 90-72-2	LD50 dermal	Non-applicable	
EC: 202-013-9	LC50 inhalation	Non-applicable	





(B)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

	Identification		Acute toxicity	Genus
4-methylpentan-2-one		LD50 oral	2080 mg/kg	
CAS: 108-10-1		LD50 dermal	Non-applicable	
EC: 203-550-1		LC50 inhalatio	n 11 mg/L (4 h) (ATEi)	
Trientine		LD50 oral	2100 mg/kg	Rat
CAS: 112-24-3		LD50 dermal	1100 mg/kg	Rat
EC: 203-950-6		LC50 inhalatio	n Non-applicable	
Acute Toxicity Est	imate (ATE mix):			
	ATE mix		Ingredient(s) of unknown	n toxicity
Oral 6361,38 mg/kg (Calculation method)			74,05 %	

85,77 %

79,53 %

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

1726,3 mg/kg (Calculation method)

11,71 mg/L (4 h) (Calculation method)

12.1 Toxicity:

Dermal

Inhalation

Identification		Acute toxicity	Species	Genus	
1-methoxy-2-propanol	LC50	20800 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 107-98-2	EC50	23300 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 203-539-1	EC50	1000 mg/L (168 h)	Selenastrum capricornutum	Algae	
4-methylpentan-2-one	LC50	900 mg/L (48 h)	Leuciscus idus	Fish	
CAS: 108-10-1	EC50	862 mg/L (24 h)	Daphnia magna	Crustacean	
EC: 203-550-1	EC50	980 mg/L (48 h)	Scenedesmus subspicatus	Algae	
Xylene	LC50	13.5 mg/L (96 h)	Oncorhynchus mykiss	Fish	
CAS: 1330-20-7	EC50	0.6 mg/L (96 h)	Gammarus lacustris	Crustacear	
EC: 215-535-7	EC50	10 mg/L (72 h)	Skeletonema costatum	Algae	
3-aminopropyltriethoxysilane	LC50	934 mg/L (96 h)	Danio rerio	Fish	
CAS: 919-30-2	EC50	331 mg/L (48 h)	N/A	Crustacean	
EC: 213-048-4	EC50	603 mg/L (72 h)	Desmodesmus subspicatus	Algae	
2,4,6-tris(dimethylaminomethyl)phenol	LC50	345 mg/L (96 h)	QSAR	Fish	
CAS: 90-72-2	EC50	Non-applicable			
EC: 202-013-9	EC50	Non-applicable			
Ethylbenzene	LC50	42.3 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 100-41-4	EC50	75 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 202-849-4	EC50	63 mg/L (3 h)	Chlorella vulgaris	Algae	
Trientine	LC50	495 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 112-24-3	EC50	31.1 mg/L (48 h)	Daphnia magna	Crustacear	
EC: 203-950-6	EC50	Non-applicable			

12.2 Persistence and degradability:

Identification	Degradability		Biodegradab	ility
1-methoxy-2-propanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 107-98-2	COD	Non-applicable	Period	28 days
EC: 203-539-1	BOD5/COD	Non-applicable	% Biodegradable	90 %
4-methylpentan-2-one	BOD5	2.06 g O2/g	Concentration	100 mg/L
CAS: 108-10-1	COD	2.16 g O2/g	Period	14 days
EC: 203-550-1	BOD5/COD	0.95	% Biodegradable	84 %
3-aminopropyltriethoxysilane	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 919-30-2	COD	Non-applicable	Period	28 days
EC: 213-048-4	BOD5/COD	Non-applicable	% Biodegradable	67 %
Ethylbenzene	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 100-41-4	COD	Non-applicable	Period	14 days
EC: 202-849-4	BOD5/COD	Non-applicable	% Biodegradable	90 %





(B)

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.3 Bioaccumulative potential:

Identification	Bio	accumulation potential
1-methoxy-2-propanol	BCF	3
CAS: 107-98-2	Pow Log	-0.44
EC: 203-539-1	Potential	Low
4-methylpentan-2-one	BCF	2
CAS: 108-10-1	Pow Log	1.31
EC: 203-550-1	Potential	Low
Xylene	BCF	9
CAS: 1330-20-7	Pow Log	2.77
EC: 215-535-7	Potential	Low
2,4,6-tris(dimethylaminomethyl)phenol	BCF	3
CAS: 90-72-2	Pow Log	0.77
EC: 202-013-9	Potential	Low
Ethylbenzene	BCF	1
CAS: 100-41-4	Pow Log	3.15
EC: 202-849-4	Potential	Low

12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		blatility
4-methylpentan-2-one	Кос	Non-applicable	Henry	Non-applicable
CAS: 108-10-1	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 203-550-1	Surface tension	2,35E-2 N/m (25 °C)	Moist soil	Non-applicable
Xylene	Кос	202	Henry	524,86 Pa·m ³ /mol
CAS: 1330-20-7	Conclusion	Moderate	Dry soil	Yes
EC: 215-535-7	Surface tension	Non-applicable	Moist soil	Yes
2,4,6-tris(dimethylaminomethyl)phenol	Кос	15130	Henry	9,312E-12 Pa·m ³ /mol
CAS: 90-72-2	Conclusion	Immobile	Dry soil	No
EC: 202-013-9	Surface tension	Non-applicable	Moist soil	No
Ethylbenzene	Кос	520	Henry	798,44 Pa·m ³ /mol
CAS: 100-41-4	Conclusion	Moderate	Dry soil	Yes
EC: 202-849-4	Surface tension	2,859E-2 N/m (25 °C)	Moist soil	Yes
Trientine	Кос	Non-applicable	Henry	Non-applicable
CAS: 112-24-3	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 203-950-6	Surface tension	4,307E-2 N/m (25 °C)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code		Description	Waste class (Regulation (EU) No 1357/2014)
08 01 1	*	Waste paint and varnish containing organic solvents or other dangerous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP4 Irritant — skin irritation and eye damage, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.



Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU



IMPRIMAX INCOLORA COMPONENTE B - Código - 48725

(B)

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) $n^{0}1907/2006$ (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2017 and RID 2017:

3	14.2 14.3 14.4 14.5 14.6	UN number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities: Transport in bulk according to Annex II of Marpol and the IBC Code:	UN1263 PAINT 3 3 III No 163, 367, 640E, 650 D/E see section 9 5 L Non-applicable
Transport of dangerous goods by sea:			
With regard to IMDG 38-16:			
		UN number:	UN1263
		UN proper shipping name:	PAINT
she	14.3	Transport hazard class(es): Labels:	3
$\langle \underline{\circ} \rangle$	144	Packing group:	III
		Environmental hazards:	No
3		Special precautions for user	
•	14.0	Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities:	223, 955, 163, 367 F-E, S-E see section 9 5 L
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of dangerous goods by air:			
With regard to IATA/ICAO 2017:			
	14.1	UN number:	UN1263
	14.2	UN proper shipping name:	PAINT
$\langle \simeq \rangle$	14.3	Transport hazard class(es):	3
		Labels:	3
2		Packing group:	III
		Environmental hazards:	No
	14.6	Special precautions for user	
	147	Physico-Chemical properties: Transport in bulk according	see section 9
	14./	to Annex II of Marpol and the IBC Code:	Non-applicable





(B)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,
- artificial snow and frost,
 "whoopee" cushions,
- silly string aerosols,
- imitation excrement,
- Initiation excreme
 horns for parties,
- norms for parties,
- decorative flakes and foams,
- artificial cobwebs,

stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) Nº 1907/2006 (Regulation (EC) Nº 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H336: May cause drowsiness or dizziness


H312+H332: Harmful in contact with skin or if inhaled

H226: Flammable liquid and vapour

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) nº 1272/2008:



JUNO



(B)

SECTION 16: OTHER INFORMATION (continued)

Acute Tox. 4: H302 - Harmful if swallowed Acute Tox. 4: H312 - Harmful in contact with skin Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled Acute Tox. 4: H332 - Harmful if inhaled Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways Eye Dam. 1: H318 - Causes serious eye damage Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 2: H225 - Highly flammable liquid and vapour Flam. Liq. 3: H226 - Flammable liquid and vapour Skin Corr. 1B: H314 - Causes severe skin burns and eye damage Skin Irrit. 2: H315 - Causes skin irritation Skin Sens. 1: H317 - May cause an allergic skin reaction STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure STOT SE 3: H335 - May cause respiratory irritation STOT SE 3: H336 - May cause drowsiness or dizziness

Classification procedure:

Eye Dam. 1: Calculation method Skin Irrit. 2: Calculation method Skin Sens. 1: Calculation method STOT SE 3: Calculation method Acute Tox. 4: Calculation method Flam. Liq. 3: Calculation method (2.6.4.3)

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.