

Page 1/7

\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2021

Version number 93

Revision: 17.12.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name: <u>MOTIP® ANTI WELDING SPRAY 400 ML</u>
<ul> <li>Article number: 090404</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> <li>Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)</li> <li>Product category PC24 Lubricants, greases, release products</li> <li>Process category PROC7 Industrial spraying PROC11 Non industrial spraying</li> <li>Application of the substance / the mixture Surface protection</li> </ul>
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: MOTIP DUPLI B.V.</li> <li>Wolfraamweg 2</li> <li>NL- 8471 XC Wolvega</li> <li>The Netherlands</li> <li>Tel: +31 (0)561 694400</li> <li>Fax: +31 (0)561 694411</li> <li>e-mail: msds@nl.motipdupli.com</li> </ul>
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> </ul>
UK: NPIS National Poisons Information Centre Tel: +44 0344 892 0111
SECTION 2: Hazards identification
<ul> <li>• 2.1 Classification of the substance or mixture</li> <li>• Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 3 H229 Pressurised container: May burst if heated.</li> </ul>
· 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms Void
- · Signal word Warning
- · Hazard statements
- H229 Pressurised container: May burst if heated.
- · Precautionary statements
- *P101* If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

*P501 Dispose of contents / container in accordance with regional regulations.* 

(Contd. on page 2)

Page 2/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2021

Version number 93

Revision: 17.12.2019

(Contd. of page 1)

<2.5%

🔶 Press. Gas (Comp.), H280

#### Trade name: MOTIP® ANTI WELDING SPRAY 400 ML

- · Additional information:
- 0.2 % by mass of the contents are flammable
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 7727-37-9 nitrogen

EINECS: 231-783-9

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections No dangerous substances are released.
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

(Contd. on page 3)

Page 3/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2021

Version number 93

Revision: 17.12.2019

#### Trade name: MOTIP® ANTI WELDING SPRAY 400 ML

(Contd. of page 2)

### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. No special measures required.
- Information about fire and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- *Requirements to be met by storerooms and receptacles:* Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- *Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be*
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.
- · Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3

- · **Protection of hands:** Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- Eye protection: Not required.

## SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance:

· pri-value:	Noi determined.	(Contd. on page 4)
· pH-value:	Not determined.	
• Odour threshold:	Not determined.	
· Odour:	Mild	
Colour:	Clear	
Form:	Aerosol	
· Appeurunce.		

i page 4

GB

Page 4/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2021

Version number 93

Revision: 17.12.2019

#### Trade name: MOTIP® ANTI WELDING SPRAY 400 ML

	(Contd. of page 3
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range.	
· Flash point:	>100 °C (>212 °F)
	Not applicable, as aerosol.
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	285 °C (545 °F)
· Decomposition temperature:	Not determined.
· Explosive properties:	Not determined.
· Explosion limits:	
Lower:	1.4 Vol %
Upper:	10.9 Vol %
· Vapour pressure at 20 °C (68 °F):	8500 hPa (6375.5 mm Hg)
• Density at 20 °C (68 °F):	0.9 g/cm <sup>3</sup> (7.5 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.2 %
Water:	92.4 %
VOC (EC)	
Solids content:	2.2 %
· 9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

\*

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 5) GB Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2021

Version number 93

Revision: 17.12.2019

Trade name: MOTIP® ANTI WELDING SPRAY 400 ML

- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- $\cdot \textbf{STOT-repeated exposure} Based on available data, the classification criteria are not met.$
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.


#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations. Disposal must be made according to official regulations.



(Contd. of page 4)

Page 6/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2021

Version number 93

Revision: 17.12.2019

### Trade name: MOTIP® ANTI WELDING SPRAY 400 ML

	(Contd. of page
Label	2.2
IMDG, IATA	
<b>~</b>	
Class	2.2
Label	2.2
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Gases.
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre
	Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear
	of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre
<b>0 0</b>	Segregation as for class 9. Stow "separated from" class 1
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Annex II o	
Marpol and the IBC Code	, Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0
Excepted quantities (EQ)	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
	<i>Not permitted as Excepted Quantity</i> <i>Code: E0</i>
	Not permitted as Excepted Quantity

# SECTION 15: Regulatory information

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

\*

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

GB

Page 7/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2021

Version number 93

Revision: 17.12.2019

(Contd. of page 6)

Trade name: MOTIP® ANTI WELDING SPRAY 400 ML

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H280 Contains gas under pressure; may explode if heated.

· Department issuing SDS: R&D legislation and regulatory advisor

· Contact: msds@nl.motipdupli.com · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Aerosol 3: Aerosols – Category 3 Press. Gas (Comp.): Gases under pressure - Compressed gas  $\cdot$  \* Data compared to the previous version altered.