

## PlastiKote Chalk

Ord.-no.: look at ordering information

## Technical Information



Chalk is the new water-based spray paint that gives a vintage look to furniture, mirrors, picture frames and ornaments. Available in a range of ten heritage colours, it gives an ultra matt chalky finish and is perfect for anyone with an interest in interior design.

### Quality & properties

- Available in ten heritage colours and Gold and Silver leaf
- Ultra matt, chalky finish
- Water-based with a gentle spray mist action
- Eco-friendly with a low solvent content
- Any mistakes can be simply washed away with soap and water within ten minutes.

### Physical & chemical data

- Base: Waterbased acrylic resin
- Colourname:
  - ◊ Vintage white
  - ◊ Old Hessian
  - ◊ Dark Hessian
  - ◊ Frost Blue
  - ◊ Pastel Green
  - ◊ Pale Rose
  - ◊ Caffè Espresso
  - ◊ Antique White
  - ◊ Classic Duck Egg
  - ◊ Dove Grey
- Degree of gloss: flat mat, <4 GU
- Efficiency: 400ml – 1 - 1,4 m<sup>2</sup>
- Dry to touch: 20 min
- Dust dry: 10 min
- Completely dry: 12 h
- Overcoatable: 10 min
- Surfaces: wood, metal, aluminium, glass, stone and various types of plastic
- Minimum Working Temperature: 15 °C
- Maximum Working Temperature: 25 °C
- Temperature Resistance: – 110 °C
- Content: 400ml

### How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- The surface should be clean, dry and free of grease. Remove loose old lacquer and rust and sand the surface.
- The surface should be clean, dry and free of grease. The aerosol should have room temperature. Best processing temperature 10 to 25°C. Before use, shake the aerosol for 2 minutes and spray a sample. Distance to the surface to be treated approximately 25 to 30 centimeter.
- Apply the spray paint in several thin layers. Before applying the next layer, again shake the aerosol. When desired, after drying a primer and a lacquer can be applied.
- After use, clean the valve (turn aerosol upside down and press the nozzle for approximately 5 seconds).

#### Environmentally sound

MOTIP DUPLI is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

#### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

#### Marking/Labeling

All products made by MOTIP DUPLI comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

**As of April 15, 2021** – This release replaces all eventually earlier issued versions.

**MOTIP DUPLI GmbH, Kurt-Vogelsang-Straße 6, 74855 Haßmersheim - [info\(at\)de.motipdupli.com](mailto:info(at)de.motipdupli.com)**  
**MOTIP DUPLI B.V., Wolfraamweg 2, NL-8471 XC Wolvega - [info\(at\)nl.motipdupli.com](mailto:info(at)nl.motipdupli.com)**