SAFETY DATA SHEET

Print Date: 2008-02-20.

Date of issue: 2007-09-24.

1. Identification of the substance/preparation and of the company/undertaking

Product name

: PARQUET ONE - SATIN W/B FLOOR LAC

Product Code

: EM2518-0040

Product Use

: Industrial applications.

Used by Spraying

: Yes

Manufacturer

: Becker Acroma Ltd Rookwood Way Haverhill

Suffolk, CB9 8PQ +44 (0)1440 703611

Emergency telephone

number

Becker Acroma, +44 (0)1440 708158

2. Composition/information on ingredients

Substances presenting a health or environmental hazard within the meaning of the Dangerous Substances Directive 67/548/EEC.

Chemical name*	CAS No.	EC Number	%	R-Phrases
Ethyl diglycol	111-90-0	203-919-7	1-5	Xi; R36

^{*} Occupational Exposure Limit(s), if available, are listed in section 8

3. Hazards identification

Physical/Chemical

: Not applicable.

Hazards

Human health hazards

Not applicable.

4. First aid measures

General

: In all cases of doubt, or when symptoms persist, seek medical attention. If unconscious, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person.

Inhalation

: Remove to fresh air. Keep person warm and at rest.

Eye Contact

: Immediately irrigate copiously with clean water for 5-10 minutes, keeping eyelids open. Seek medical attention if irritation persists.

Skin Contact

: Remove contaminated clothes. Wash skin thoroughly with soap and water or use a suitable skin cleaner. Do NOT use solvents or thinners.

Ingestion

: Keep person warm and at rest. DO NOT induce vomiting. If vomiting, hold down the head to reduce the risk of getting stomach content into the lungs. Obtain medical attention unless only an insignificant amount has been swallowed.

5. Fire-fighting measures

Extinguishing media

Suitable

: In case of fire, use water spray (fog), foam, dry chemicals, or CO₂. Closed containers may be cooled with water spray.

Not suitable

: Do NOT use a jet of water, water from buckets etc., which may spread the fire.

Hazardous thermal decomposition products

: Refer to MSDS: # Section 10

6. Accidental release measures

Personal precautions

: Avoid contact with skin and eyes. Avoid inhalation of vapors and spray mist. Refer to protective measures listed in sections 7 and 8. Keep unnecessary personnel away. No smoking.

Spill

Prevent entry into sewers, basements or confined areas; dike if needed. Absorb with an inert material and put the spilled material in an appropriate waste disposal.

7. Handling and storage

Handling

Avoid contact with skin and eyes. Avoid inhalation of vapors and spray mist. Eating, drinking and smoking should be prohibited in area where this product is handled. Personal Protective Equipment, see section 8. Keep away from incompatibles mentioned in section 10.

Storage

: Keep container tightly closed. Store in a dry, cool and well-ventilated area. Storage temperature: refer to the Technical Data Sheet. Keep away from incompatibles mentioned in section 10.

Packaging materials

Never use pressure to empty: container is not a pressure vessel. Always keep in containers made from the same material as the original one.

8. Exposure controls/personal protection

Engineering measures

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective Occupational Exposure Limits. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

Wash hands, forearms, and face thoroughly after handling and before eating, smoking, using lavatory, and at the end of the day. Always immediately wash contaminated skin. Apply a suitable skin lotion.

Ingredient Name

Occupational Exposure Limits

Personal protective equipment

Respiratory system

: Wear appropriate respirator when ventilation is inadequate. If exposure to dust cannot be avoided by local exhaust ventilation, suitable dust filter must be used.

Eyes

: Wear safety glasses or other suitable protective equipment if there is a risk of splashing.

Skin and body

Wear suitable protective clothing.

Hands

Wear suitable gloves.

9. Physical and chemical properties

Physical state

: Liquid.

Density

: 1.05 g/cm^3

Flash point

: Closed cup: >100°C (212°F). (ASTM 6450)

Auto-ignition temperature :

The lowest known value is 204°C (399.2°F) (2-(2-ETHOXY ETHOXY)

ETHANOL).

Explosion Limits

: Lowest Lower: 1.2%-v/v, Highest upper: 9%-v/v.

Vapor Pressure

: The highest known value is 0.2 kPa (1.7 mm Hg) (at 20°C) (Water). Weighted

average: 0.19 kPa (1.43 mm Hg) (at 20°C)

Boiling Point

 $>100^{\circ}\text{C} (212^{\circ}\text{F})$

VOC Content

Contains 4.87769 wt% VOC. Contains 2.68076 wt% Carbon as VOC. This product contains VOC. You may be subject to environmental control legislation under Integrated Pollution Control (IPC) or Integrated Pollution & Prevention (IPPC) Regulations. Contact your local Environmental Agency Office if in

doubt.

10. Stability and reactivity

Stability

: The product is stable.

Reactivity

: Slightly reactive to reactive with OXIDIZING AGENTS.

Hazardous thermal decomposition products

These products are carbon oxides (CO, CO₂). Some metallic oxides.

11. Toxicological information

Inhalation

: In poorly ventilated places, inhalation of vapours may cause irritation of the respiratory system. Inhalation of spray mist can cause irritation of the respiratory system.

Eye Contact

 Can cause irritation and temporary damage if splashes come in contact with the eve.

Skin Contact

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

Ingestion

: Ingestion may cause stomach pains and vomiting.

12. Ecological information

Ecotoxicity

There is no data available on the preparation itself.

13. Disposal considerations

European Waste Catalogue (EWC)

: 080112

Hazardous Waste

: To present knowledge of the supplier, this product is not regarded as hazardous waste as defined by EU Directive 91/689/EC.

Methods of disposal

Do not allow to enter drains or watercourses. Ship for treatment/disposal in accordance with local regulations.

14. Transport information

UN number

: Not regulated.

ADR/RID Class

: .

Proper shipping name

: -

Packing Group

. -

IMDG Class

: -

Packing Group

: -

IATA-DGR Class

: -

15. Regulatory information

Classification

Risk Phrases

This product is not classified according to the EU regulations.

Safety Phrases

: S23- Do not breathe spray or vapor.

Other Information

Additional Warning

Safety Data Sheet available for professional user on request.

Phrases

Restriction to Market

Not applicable.

Directive

16. Other information

Full text of R phrases referred

to in Sections 2 and 3 United

Kingdom (UK)

Full text of classifications

referred to in Sections 2 and 3

United Kingdom (UK)

Date of printing

: 2008-02-20.

Version

: 2

Date of issue

: 2007-09-24.

Date of Previous Issue

: No Previous Validation.

Notice to Reader

The information in this Safety Data Sheet is based on the present state of our knowledge, and on current EU regulations and national laws. It provides guidance on health, safety and environmental aspects of the product, and should not be constructed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1, without first referring to the supplier and obtaining written handling instructions. As the specific conditions of the use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.