# SAFETY DATA SHEET

#### 1. IDENTIFICATION OF SUBSTANCE

- 1.1 PRODUCT DESCRIPTION: FORMULA 1 WET LOOK TIRE GLOSS (16-oz)
- 1.2 PRODUCT CODES: 615266, 613143
- 1.3 PRODUCER:

NORTHERN LABS, INC. 5800 WEST DRIVE MANITOWOC, WI 54221-0850 PHONE: 920-684-7137

#### 2. HAZARD IDENTIFICATIONS

- 2.1 Classification of the Substance or Mixture: Category 1, Aspiration Hazard
- 2.2 Label Elements [Signal Word]: Danger

Symbols: GHS08



Hazard Statement: H304 – May be fatal if swallowed and enters airways.

Hazardous Content: Contains Petroleum Distillates Light (CAS 64742-47-8 @ 80%).

#### **Precautionary Statements:**

*Response:* P301 & P310 – If swallowed, immediately call a poison center or doctor/physician. P331 – Do not induce vomiting.

Storage: P405 – Store locked up.

*Disposal:* P501 – Dispose of contents/container in accordance with appropriate federal, state and local regulations.

*Other Hazards:* Contact with eyes may cause irritation. It is recommended to use only in well ventilated areas. Keep away from heat and flames. Do not use on surfaces that should not become slippery. Keep out of reach of children.

#### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous components within the meaning Of EEC directive 67/548 and corresponding classification	EINECS # CAS # Annex I Ind. #	Concentration	Classific EC1272/2008-		Risk Phrases Safety Phrases
DISTILLATES, HYDROTREATED LIGHT	265-149-8 64742-47-8 649-422-00-2	80%	H304 Asp. Tox. 1	Xn	R65 S2 S23 S24 S62
NON HAZARDOUS COMPOSITION		20%			

#### 4. FIRST AID MEASURES

4.1 *Inhalation:* If difficulty or discomfort in breathing is experienced, remove to fresh air and seek medical attention.

4.2 *Ingestion:* Do not induce vomiting. Contact a physician and/or local poison control center.

4.3 *Skin contact:* Wash with water or soap and water.

4.4 *Eye contact:* Flush with water for 15 minutes. If irritation persists get medical attention.

*OVERVIEW:* If possible, avoid breathing product vapors, use only in well-ventilated areas. Harmful if inhaled, product may cause delayed lung injury. Aspiration hazard if swallowed – can enter lungs and cause damage. Avoid contact with eyes, skin and clothing. Material sprayed into eyes may irritate tissue.

Acute and/or Chronic Effects: No known chronic effects.

Eye Contact: Direct contact of product with eyes may cause irritation.

Skin Contact: Repeated and long term exposure may cause skin irritation.

*Ingestion: ACUTE INGESTION HAZARD:* Contains petroleum distillates. Ingestion may cause nausea, headache, pulmonary adema, depression or loss of consciousness.

Inhalation: Product vapors may be harmful if inhaled in high concentration.

*Aggravated Medical Conditions:* Personnel with pre-existing skin disorders should avoid contact with this product.

**Primary Route**(s) of Entry: Skin and inhalation.

## 5. FIRE FIGHTING MEASURES

- 5.1 *Extinguishing agents:* Foam, CO<sub>2</sub>, Dry Chemical.
- 5.2 *Advice:* Use water spray only to cool containers exposed to flames. If leaked or spilled, use water spray to disperse vapors. Container may melt and leak in heat of fire.

#### 6. ACCIDENTAL RELEASE MEASURES

6.1 Notify emergency response personnel or report spill to appropriate authority. Evacuate area and remove any ignition sources. Build dike to contain flow. Absorb spill with inert material. Dispose of material at an appropriate waste disposal facility that can dispose of low vapor pressure petroleum distillates.

#### 7. HANDLING AND STORAGE

7.1 *Storage:* Keep container tightly closed and in a cool, well-ventilated area.

#### 8. EXPOSURES STANDARDS AND PERSONAL PROTECTION

- 8.1 *Respiratory protection:* Only use product where there is adequate ventilation and fresh air is readily available.
- 8.2 *Hands/Skin protection:* None required with normal use. If prolonged contact is a concern, impervious gloves are recommended.
- 8.3 *Eye protection:* Do not get product in eyes. If misting or spray is a concern, wear appropriate eye protection to alleviate contact.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Particle-Free Liquid
Odor:	Solvent Odor
Color:	Clear
Specific Gravity (H20 = 1):	0.83
Volume of Container:	16 oz.
pH:	Not Applicable
Solubility in water:	Insoluble
Percent Volatiles:	Not Available
Flash Point:	> 200°F
Flash Point:	> 200°F
Internal Boiling Point:	~ 400°F

#### **10. STABILITY AND REACTIVITY**

- 10.1 *Chemical Stability:* Stable.
- 10.2 Hazardous Polymerization: Will not occur.
- 10.3 Conditions and Materials to Avoid: Strong Oxidizers and Ignition Sources.
- 10.4 Hazardous Decomposition Products: Partial combustion may produce carbon monoxide and other asphyxiants.

#### 11. TOXICOLOGICAL INFORMATION

- 11.1 *Toxicity for ingestion:* If swallowed, do not induce vomiting. Contains emulsified petroleum distillates.
- 11.2 *Toxicity of inhalation:* Product vapors may be harmful if inhaled in high concentration.
- 11.3 *Irritation effects from skin contact:* Prolong or repeated contact with skin may cause irritation.

#### 11. TOXICOLOGICAL INFORMATION (CONTINUED)

11.4 *Irritation effects from eye contact:* Do not get into eyes; product can cause irritation.

#### 12. ECOLOGICAL INFORMATION

- 12.1 *Aquatic Toxicity:* Not toxic to fish, but can coat gill structure resulting in suffocation.
- 12.2 *Terrestrial Toxicity:* Product may kill grasses and small plants should contact occur.
- 12.3 *Note:* Adopt good working practices so that the product is not released into the environment.

### 13. DISPOSAL CONSIDERATIONS

- 13.1 *Notes:* Observe all applicable Federal/State regulations and Local ordinances regarding disposal of water emulsion containing petroleum solvent. Do not dispose of this product in drains or storm sewers. Do not dispose of this product in a landfill without prior solidification. Waste product can be recycled. Observe all applicable Federal/State regulations and local ordinances regarding the disposal of non-hazardous materials. Compliance with applicable laws are the responsibility solely of the generator. Dispose of residual and empty product containers responsibly.
- 13.2 *Waste Disposal Methods:* Waste material may be land-filled at an approved facility after it has been solidified.

#### 14. TRANSPORTATION INFORMATION

 14.1 Land (DOT)/Sea (IMDG)/Air Transport (IATA): Proper Shipping Name: Not Regulated Class: None UN/ID No.: None Packaging Group: None

# **15. REGULATORY INFORMATION**

#### Defined by:

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, packaging and labeling of dangerous substances and subsequent amendments (of Council Directive 67/548/EEC on classification, Risk Phrases and Safety Phrases in accordance of Annex I Index, REACH Annex 2 [Part 3.2] & Directive 1999/45/CE [Classification, packaging and labeling of dangerous preparation] and subsequent amendments).

Inventories: All components of this product are listed on the TSCA (USA), DSL (Canada) and EINCS (Europe) inventories.

PROP 65: This product contains no chemicals subject to the reporting requirements of the Safe Drinking Water and Toxic Enforcement Act of 1986.

#### **16. OTHER INFORMATION**

#### HMIS RATINGS Health: 1 Flammability: 1 Reactivity: 0

Hazardous Material Identification System hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations.

NFPA RATINGS Health: 1 Flammability: 1 Reactivity: 0

HAZARD RATINGS: Least-0/Slight-1/Moderate-2/High-3/Extreme-4

Document Issue Date: 5/11/15 Revised Date: 5/11/15 Supersedes Date: 5/11/15

For information on appropriate emergency procedures phone: (920) 684-7137

Neither this data sheet nor any statement contained herein grants or extends any license, express or implied, in connection with patents issued or pending which may be the property of the manufacture or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and on the work of others. The manufacturer makes no warranties, express or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with accuracy, completeness, adequacy or furnishing of such information.