

**GRAVITEX HS STONECHIP PROTECTOR** 

Page: 1

Compilation date: 24/08/2011

**Revision date:** 15/02/2012

**Revision No:** 8

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: GRAVITEX HS STONECHIP PROTECTOR

Product code: GTEX, GRA

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: STONE CHIP PROTECTOR PAINT PRODUCT CONTAINING XYLENE, MIXTURE OF

**ISOMERS** 

## 1.3. Details of the supplier of the safety data sheet

Company name: U-POL Limited

**Denington Industrial Estate** 

Denington Road Wellingborough

Nothants NN8 2QH

United Kingdom

Tel: +44-(0)-1933 230300
Fax: +44-(0)-1933 425797
Email: technical@u-pol.com

### 1.4. Emergency telephone number

Emergency tel: +44-(0)-1933 230310

#### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CHIP: -: R10; Xn: R20/21; Xi: R38

Most important adverse effects: Flammable. Harmful by inhalation and in contact with skin. Irritating to skin.

Classification under CLP: This product has no classification under CLP.

### 2.2. Label elements

## Label elements under CHIP:

Hazard symbols: Harmful.



Risk phrases: R10: Flammable.

R20/21: Harmful by inhalation and in contact with skin.

R38: Irritating to skin.

[cont...]

### **GRAVITEX HS STONECHIP PROTECTOR**

Page: 2

Safety phrases: S16: Keep away from sources of ignition - No smoking.

S36/37: Wear suitable protective clothing and gloves.

S23: Do not breathe vapour/spray

S51: Use only in well-ventilated areas.

#### 2.3. Other hazards

Other hazards: May cause fire.

PBT: This substance is not identified as a PBT substance.

#### Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### **Hazardous ingredients:**

#### **XYLENE**

EINECS	CAS	CHIP Classification	CLP Classification	Percent
215-535-7	1330-20-7	-: R10; Xn: R20/21; Xi: R38	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Skin Irrit. 2: H315	30-50%

#### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Do not induce vomiting. Wash out mouth with water. Transfer to hospital as soon as

possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and pain.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

#### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Dry chemical powder. Alcohol or polymer foam. Do not use water.

### **GRAVITEX HS STONECHIP PROTECTOR**

Page: 3

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Wash the spillage site with large amounts of water.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Smoking is forbidden.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep container

tightly closed.

Suitable packaging: Must only be kept in original packaging.

# 7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

# 8.1. Control parameters

State UK

### Workplace exposure limits:

8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
50 ppm	maa 001	1 ma/m3	-

Respirable dust

## **Hazardous ingredients:**

### **GRAVITEX HS STONECHIP PROTECTOR**

Page: 4

#### **XYLENE**

#### Workplace exposure limits:

### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	220 mg/m3	441 mg/m3	-	-

## 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Compressed airline breathing apparatus (EN139).

Hand protection: Nitrile gloves.Eye protection: Face-shield.

**Skin protection:** Protective clothing with elasticated cuffs and closed neck.

#### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Liquid

**Colour:** Black, grey or white **Odour:** Characteristic odour

**Evaporation rate:** Slow **Solubility in water:** Insoluble

Also soluble in: Most organic solvents.

Viscosity: Viscous Kinematic viscosity: 450 cps

Flammability limits %: lower: 1.0 upper: 6.6

Flash point°C: 24 Autoflammability°C: 490
Relative density: 1.2 VOC g/l: 525

### 9.2. Other information

Other information: Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### **GRAVITEX HS STONECHIP PROTECTOR**

Page: 5

#### 10.4. Conditions to avoid

Conditions to avoid: Heat. Sources of ignition.

10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

### **Section 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	INH DRM	Hazardous: calculated
Irritation	DRM	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and pain.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### **Section 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity values: Not applicable.

### 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

### 12.4. Mobility in soil

Mobility: Heavier than water.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

## 12.6. Other adverse effects

Other adverse effects: Very toxic to aquatic organisms.

## **Section 13: Disposal considerations**

### **GRAVITEX HS STONECHIP PROTECTOR**

Page: 6

#### 13.1. Waste treatment methods

Disposal operations: Incineration on land.

Recovery operations: Use principally as a fuel or other means to generate energy.

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1263

### 14.2. UN proper shipping name

Shipping name: PAINT

### 14.3. Transport hazard class(es)

Transport class: 3

# 14.4. Packing group

Packing group: III

### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

# 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E
Transport category: 3

### **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# **Section 16: Other information**

## Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

FOR PROFESSIONAL USE ONLY. Read full instructions before use.

IMPORTANT: This product contains hazardous materials and therefore appropriate

personal protective equipment should always be used.

Please refer to the label and consult the material safety data sheet for full handling

### **GRAVITEX HS STONECHIP PROTECTOR**

Page: 7

instructions and personal protection information. These are available via your local stockist or via the U-POL website at <u>WWW.U-POL.COM</u>.

U-POL disclaim any liability where the user does not wear the recommended personal protective equipment.

Phrases used in s.2 and 3: H226: Flammable liquid and vapour.

H312: Harmful in contact with skin.

H315: Causes skin irritation. H332: Harmful if inhaled.

R10: Flammable.

R20/21: Harmful by inhalation and in contact with skin.

R38: Irritating to skin.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. Addition of reducers, hardeners and other additives

over and above U-POL's recommendations for use, may substantially alter the

composition and hazards of the product. Since conditions of use are outside our control, this company shall not be held liable for any damage resulting from handling or from

contact with the above product.