

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

A4231 - HYDROBARP PELABLE BLANCO

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

BARPIMC

COATINGS

A4231 - HYDROBARP PELABLE BLANCO

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Industrial paint. For industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

BARPIMO COATINGS, S.A. San Fernando, 116 26300 Nájera - La Rioja - España Phone: +34 941 410 000 - Fax: +34 941 410 111 fds@barpimo.com www.barpimo.com

1.4 Emergency telephone number: +34 941 410 000 (sólo disponible en horario de oficina)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

Precautionary statements:

Non-applicable

Supplementary information:

EUH210: Safety data sheet available on request.

2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Miscellaneous products

Components:

None of the substances contained in the mixture are above the limits specified in Annex II of Regulation (EC) No 1907/2006

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Consult a doctor in case of discomfort showing the SDS for the product.

By inhalation:

In case of symptoms, move the person affected into fresh air.

By skin contact:

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

A4231 - HYDROBARP PELABLE BLANCO

SECTION 4: FIRST AID MEASURES (continued)

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet **By eye contact:**

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable, with a low risk of fire due to the flammability characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

A4231 - HYDROBARP PELABLE BLANCO

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018
As the product is	a mixture of several subs	tances the res	istance of the glove mate	rial can not be calculated in advance with

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

A4231 - HYDROBARP PELABLE BLANCO

D	Eye and face pro				
	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according the manufacturer's instructions. Use if there risk of splashing.
E	Body protection	11		I	1
	Pictogram	PPE	Labelling	CEN Standard	Remarks
		Work clothing	CATI		Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulat in EN ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.
		Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulat in EN ISO 20345:2012 y EN 13832-1:2007
F	Additional emerg	jency measures			
		ry to take additional emerg	5 /		
Wit	V.O.C. (Supply):	tive 2010/75/EU, this proc 1,18 ⁰	% weight	-	on 7.1.D
With	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon i	tive 2010/75/EU, this proc 1,18 ° t 20 °C: 12,24 number: 7,06	% weight kg/m³ (12,24	-	
With	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon i Average molecula	tive 2010/75/EU, this proc 1,18 ° 20 °C: 12,24 number: 7,06 ar weight: 124,0	% weight kg/m ³ (12,24 9 g/mol	-	
With	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon i Average molecula 9: PHYSICAL	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP	% weight kg/m ³ (12,24 9 g/mol ERTIES	g/L)	
With ON Info	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon i Average molecul: 9: PHYSICAL ormation on ba	tive 2010/75/EU, this proc 1,18 ° 20 °C: 12,24 number: 7,06 ar weight: 124,0	% weight kg/m ³ (12,24 9 g/mol ERTIES	g/L)	
With ON Infe App	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon i Average molecula 9: PHYSICAL formation on ba	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties	g/L)	
With ON Info App Physi	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon i Average molecula 9: PHYSICAL formation on bas pearance: sical state at 20 0	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties	g/L)	
With Info App App	h regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecular 9: PHYSICAL 5: PHYSICAL 5: Cormation on ba 5: Cormation on ba	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco	g/L) :: d bus	
ON Info App Cold	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula 9: PHYSICAL ormation on ba pearance: sical state at 20 o pearance: pour:	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Char	g/L) : d bus acteristic	
With ION Info App Colc Odc	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula 9: PHYSICAL ormation on ba pearance: sical state at 20 0 pearance: pur:	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Char	g/L) :: d bus	
With ON Info App Colc Odc	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula 9: PHYSICAL ormation on ba pearance: sical state at 20 o pearance: pour:	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Char Not a	g/L) : d bus acteristic	
ION Inf App Colc Odc	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula 9: PHYSICAL ormation on ba pearance: sical state at 20 0 pearance: pur:	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Char Not a	g/L) : d ous acteristic available	
With ON Infe App Colc Odc Odc Vol	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula 9: PHYSICAL ormation on ba pearance: sical state at 20 of pearance: bur: bur: bur: bur: bur threshold: atility:	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Char Not a	g/L) d d bus acteristic available applicable *	
With Info App Colc Odc Odc Vol Boil	h regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula 9: PHYSICAL ormation on ba pearance: sical state at 20 of pearance: bur: bur: bur: bur: bur threshold: atility:	tive 2010/75/EU, this proc 1,18 ° 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic °C: Despheric pressure:	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Chart Not a Non-	g/L) d bus acteristic available applicable * PC	
ON Infe App Colc Odc Odc Vol Boil Vap	h regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecular 9: PHYSICAL 5: 6: 7: 7: 7: 7: 7: 7: 7: 7	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic °C: ospheric pressure: 20 °C:	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Char Not a Non- 104 9 2330	g/L) d bus acteristic available applicable * PC	
With ON Info App Colc Odc Odc Odc Odc Vol Boil Vap Vap	h regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecular 9: PHYSICAL ormation on bar pearance: sical state at 20 of pearance: bur: bur threshold: atility: ing point at atmospour pressure at 2	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic °C: Despheric pressure: 20 °C: 50 °C:	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Char Not a Non- 104 (2330 1227	g/L) d d bus acteristic available applicable * PC Pa	
With ON Infe App Colc Odc Odc Vol Boil Vap Vap Eva	h regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecular 9: PHYSICAL ormation on bac pearance: sical state at 20 of pearance: pur: pur: pur: pur: pur: pur: pur: pur	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP Asic physical and chemic °C: Despheric pressure: 20 °C: 50 °C: 20 °C:	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Char Not a Non- 104 (2330 1227	g/L) : d bus acteristic available applicable * PC Pa '5,17 Pa (12,28 kPa)	
With ON Info App Colc Odc Odc Vol Boill Vap Vap Eva Pro	h regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecular 9: PHYSICAL formation on bar pearance: sical state at 20 of pearance: bur: bur threshold: atility: ing point at atmospour pressure at 2 pour pressure at 2 poration rate at 2	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP Asic physical and chemic °C: Despheric pressure: 20 °C: 50 °C: 20 °C:	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Chart Non- 104 9 2330 1227 Non-	g/L) : d bus acteristic available applicable * PC Pa '5,17 Pa (12,28 kPa)	
With ON Info App Colo Odo Odo Odo Odo Vol Boil Vap Eva Pro Den	h regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecular 9: PHYSICAL 0: PHYSIC	tive 2010/75/EU, this proc 1,18 °C 20 °C: 12,24 number: 7,06 ar weight: 124,0 AND CHEMICAL PROP asic physical and chemic °C: Despheric pressure: 20 °C: 50 °C: 20 °C: 50 °C: 20 °C: 50 °C: 20 °C: 50 °	% weight kg/m ³ (12,24 9 g/mol ERTIES cal properties Liqui Visco Chart Non- 104 9 2330 1227 Non-	g/L) g/L)	



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

A4231 - HYDROBARP PELABLE BLANCO

Kinem Conce pH: Vapou Partitie Solubi Solubi Decon Meltin Flamm Flamm Autoig Lower Upper Partic Media	hatic viscosity at 20 °C: hatic viscosity at 40 °C: entration: ur density at 20 °C: fon coefficient n-octanol/water 20 °C: ility in water at 20 °C: ility properties: mposition temperature: ng point/freezing point: mability: Point: nability (solid, gas): gnition temperature: r flammability limit:	Non-applicable * >20,5 mm ² /s Non-applicable * 6 - 10 Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable *
Conce pH: Vapou Partitie Solubi Solubi Decon Meltin Flam Flam Flam Flam Upper Upper Partic Media	entration: ur density at 20 °C: ion coefficient n-octanol/water 20 °C: ility in water at 20 °C: ility properties: nposition temperature: ng point/freezing point: mability: Point: nability (solid, gas): gnition temperature: flammability limit:	Non-applicable * 6 - 10 Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable *
pH: Vapou Partitie Solubi Solubi Decon Meltin Flam Flam Flam Flam Autoig Lower Upper Partic Media	ur density at 20 °C: on coefficient n-octanol/water 20 °C: ility in water at 20 °C: ility properties: mposition temperature: og point/freezing point: mability: Point: nability (solid, gas): gnition temperature: r flammability limit:	6 - 10 Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non Flammable (>60 °C) Non-applicable * 204 °C Non-applicable *
Vapou Partitie Solubi Solubi Decon Meltin Flamm Flamm Autoig Lower Upper Partic Media 2 Other	on coefficient n-octanol/water 20 °C: ility in water at 20 °C: ility properties: mposition temperature: ng point/freezing point: mability: Point: nability (solid, gas): gnition temperature: r flammability limit:	Non-applicable * Non Flammable (>60 °C) Non-applicable * 204 °C Non-applicable *
Partitie Solubi Solubi Decon Meltin Flam Flam Flam Flam Autoig Lower Upper Partic Media 2 Other	on coefficient n-octanol/water 20 °C: ility in water at 20 °C: ility properties: mposition temperature: ng point/freezing point: mability: Point: nability (solid, gas): gnition temperature: r flammability limit:	Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non Flammable (>60 °C) Non-applicable * 204 °C Non-applicable *
Solubi Solubi Decon Meltin Flam Flam Flam Flam Autoig Lower Upper Partic Media 2 Other	ility in water at 20 °C: ility properties: nposition temperature: ng point/freezing point: mability: Point: nability (solid, gas): gnition temperature: r flammability limit:	Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non Flammable (>60 °C) Non-applicable * 204 °C Non-applicable *
Solubi Decon Meltin Flam Flam Flam Autoig Lower Upper Partic Media	ility properties: nposition temperature: ng point/freezing point: mability: Point: nability (solid, gas): gnition temperature: r flammability limit:	Non-applicable * Non-applicable * Non-applicable * Non Flammable (>60 °C) Non-applicable * 204 °C Non-applicable *
Decon Meltin Flam Flash Flam Autoig Lower Upper Partic Media	nposition temperature: ng point/freezing point: mability: Point: nability (solid, gas): gnition temperature: r flammability limit:	Non-applicable * Non-applicable * Non Flammable (>60 °C) Non-applicable * 204 °C Non-applicable *
Meltin Flam Flash I Flam Autoig Lower Upper Partic Media	ng point/freezing point: mability: Point: nability (solid, gas): gnition temperature: flammability limit:	Non-applicable * Non Flammable (>60 °C) Non-applicable * 204 °C Non-applicable *
Flamn Flash I Flamm Autoig Lower Upper Partic Media 2 Other	mability: Point: nability (solid, gas): gnition temperature: flammability limit:	Non Flammable (>60 °C) Non-applicable * 204 °C Non-applicable *
Flash I Flamm Autoig Lower Upper Partic Mediai 2 Other	Point: nability (solid, gas): gnition temperature: r flammability limit:	Non-applicable * 204 °C Non-applicable *
Flamm Autoig Lower Upper Partic Medial 2 Other	nability (solid, gas): gnition temperature: flammability limit:	Non-applicable * 204 °C Non-applicable *
Autoig Lower Upper Partic Mediar	gnition temperature: flammability limit:	204 °C Non-applicable *
Lower Upper Partic Media	flammability limit:	Non-applicable *
Upper Partic Media 2 Other	-	
Partic Media 2 Other	flammability limit:	Non annliaghla *
Mediar 2 Other		Non-applicable *
2 Other	cle characteristics:	
	n equivalent diameter:	Non-applicable
	r information:	
Infor	mation with regard to physical hazard clas	ises:
Explos	sive properties:	Non-applicable *
Oxidis	sing properties:	Non-applicable *
Corros	sive to metals:	Non-applicable *
Heat o	of combustion:	Non-applicable *
compo	ols-total percentage (by mass) of flammable onents: r safety characteristics:	Non-applicable *
	ce tension at 20 °C:	Non-applicable *
	ction index:	Non-applicable *
		rmation property of its hazards.

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
		· · · · · · · · · · · · · · · · · · ·		

10.5 Incompatible materials:

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

A4231 - HYDROBARP PELABLE BLANCO

SECTION 10: STABILITY AND REACTIVITY (continued)

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

LD50 oral > 2000 mg/kg (rat)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met
 - Contact with the eyes: Based on available data, the classification criteria are not met
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met IARC: 2-butoxyethanol (3); naphtha (petroleum), hydrodesulphurized heavy , < 0.1 % EC 200-753-7 (3); Attapulgite (2B); Quartz (RCS > 10%) (1); Talc (3)
 - Mutagenicity: Based on available data, the classification criteria are not met
 - Reproductive toxicity: Based on available data, the classification criteria are not met
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met
 - Skin: Based on available data, the classification criteria are not met
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
 - Skin: Based on available data, the classification criteria are not met
- H- Aspiration hazard:

Based on available data, the classification criteria are not met

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Non-applicable



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

A4231 - HYDROBARP PELABLE BLANCO

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met

12.1 Toxicity:

Not available

- 12.2 Persistence and degradability: Not available
- **12.3 Bioaccumulative potential:** Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	Non-hazardous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2benzisothiazol-3(2H)-one.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



A4231 - HYDROBARP PELABLE BLANCO

SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Contains Octamethylcyclotetrasiloxane, Decamethylcyclopentasiloxane. 1. | Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. | 2. | For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.'

Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Non-applicable

Classification procedure:

Non-applicable

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

A4231 - HYDROBARP PELABLE BLANCO

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOGPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. **END OF SAFETY DATA SHEET** -