



12V PORTABLE TRANSFER PUMP - ADBLUE®

MODEL NO: TP9912.V2 TP99230

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



Refer to instruction manual



Wear goggles



Wear protective gloves

1. SAFETY

1.1. ELECTRICAL SAFETY

- WARNING!** It is the user's responsibility to check the following:
- ✓ Check all electrical equipment and appliances to ensure that they are safe before using. Inspect power supply leads, plugs and all electrical connections for wear and damage. Sealey recommend that an RCD (Residual Current Device) is used with all electrical products.
- Electrical safety information.** It is important that the following information is read and understood:
- ✓ Ensure that the insulation on all cables and on the appliance is safe before connecting it to the power supply.
- ✓ Regularly inspect power supply cables and plugs for wear or damage and check all connections to ensure that they are secure. **Important:** Ensure that the voltage rating on the appliance suits the power supply to be used and that the plug is fitted with the Correct fuse.
- ✗ **DO NOT** pull or carry the appliance by the power cable.
- ✗ **DO NOT** pull the plug from the socket by the cable.
- ✗ **DO NOT** use worn or damaged cables, plugs or connectors. Ensure that any faulty item is repaired or is replaced immediately by a qualified electrician.

If the cable or plug is damaged during use, switch off the electricity supply and remove from use.

Ensure that repairs are carried out by a qualified electrician.

1.2. GENERAL SAFETY

- WARNING!** Ensure health & safety, government and local authority regulations relating to the transfer of AdBlue® are adhered to when using this equipment. Familiarise yourself with the pump's applications and limitations, and specific potential hazards peculiar to the pump.
- WARNING!** These pumps are designed for use with urea and aqueous media only. **DO NOT use for petrol or similar explosive liquids.**
- ▲ **DANGER: The electric pump is not protected against explosion and should therefore not be operated in areas where there is a risk of explosion.**
- WARNING!** Disconnect the pump from the mains or battery power before demounting, servicing or performing any maintenance.
- ✓ Maintain pump in good condition (use authorised service agent). Drain pump and pipes before dismantling.
- ✓ Maintain correct balance and footing when installing and using the pump. Ensure the floor is not slippery and wear non slip shoes.
- ✓ Ensure the transfer area is free of clutter and has adequate lighting.
- ✓ Ensure that the voltage of the pump matches the voltage of the supply.
- ✓ Keep children and unauthorised persons away from the working area.
- ✓ Replace/repair damaged parts. Use genuine parts. Unauthorised parts are dangerous and will invalidate warranty.
- ✗ **DO NOT** use the pump without the delivery nozzle attached.
- ✗ **DO NOT** start or stop the pump by switching on or off at the mains power supply. or disconnecting from battery.
- ✗ **DO NOT** operate the unit with wet hands. We recommend use of chemical resistant gloves and goggles.
- ✗ **DO NOT** run the pump dry. If this occurs the pump could be damaged and your warranty will be invalidated.
- IMPORTANT:** It is the installer's responsibility to ensure that all supply pipes, fixtures and fittings are adequate for the safe flow of liquid urea.

2. INTRODUCTION

Electric 12V membrane pump specifically designed for the distribution of AdBlue®. Self-priming unit provides a flow rate of up to 34L/min. Supplied with total of 4m hose, 2m delivery and 2m suction. Manual delivery nozzle and 2m cables with battery clamps. All materials and seals used on this pump are suitable for use with AdBlue®.

3. SPECIFICATION

Model no:	TP9912.V2
Current:	18A
Duty cycle:	20min/hr
Flow rate:	34L/min

Power:	260W
Speed:	2800rpm
Voltage:	12V

Model no:	TP99230
Current:	2A
Duty cycle:	Continuous
Flow rate:	40L/minz

Power:	370W
Speed:	2900rpm
Voltage:	230V


4. ASSEMBLY

- 4.1. Attach the feet of the pump unit to a stable surface using 4 suitable screws or bolts (not supplied).
- 4.2. Remove blanking plugs from suction (fig.1.B) and delivery (fig.1.D) ports and push hoses (figs.1.A and 1.C) onto the connectors, first placing a loose hose clip over the hose.
NOTE: the flow direction is marked on the pump.
- 4.3. Tighten the hose clips onto the hoses.
- 4.4. Immerse the suction strainer in the AdBlue® container.
- 4.5. Connect to the appropriate electric power supply by means of battery clips (TP9912.V2) or mains plug (TP99230).

5. INSTALLATION

SITE INSTALLATION. It is the responsibility of the owner of the equipment to ensure that the siting of the AdBlue® container and the installation and operation of the pump is carried out in such a way as to prevent any leakage which could contaminate water courses or drinking water for people or animals. The owner should liaise with local authorities, health and safety and water authorities to ensure that the installation is safe.

fig.2



6. OPERATION

- 6.1. These pumps, being of positive displacement design, do not require priming. When first used, there will be a slight delay as air is cleared from the system.
- 6.2. To operate: switch the pump motor on using the rocker switch above the motor (O="OFF", I="ON"). The motor will start.
- 6.3. Place the nozzle in the AdBlue® vessel to be filled and squeeze the delivery trigger (fig.2.A).
- 6.4. If using the latch (fig.2.B), use with care as there is no automatic cut-off fitted to the nozzle.
- 6.5. When delivery is complete, release the delivery trigger: delivery will stop but the pump will continue to run.
- 6.6. Turn the pump off using the rocker switch.
To avoid damage **DO NOT** run the pump with no delivery for longer than necessary. **IN NO CIRCUMSTANCES** run in this state for more than 3 minutes.
- 6.7. Store the nozzle so as to prevent spillage of urea into the environment.

7. MAINTENANCE

- 7.1. The pump has been designed for low maintenance. Should any problems occur return to your Sealey stockist.
- 7.2. Clean the entire installation and inspect all piping and connections for leaks. Rectify any damage immediately.
- 7.3. Inspect the filter at the end of the suction tube every time the tank is refilled. Clean if necessary.



ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.



REGISTER YOUR PURCHASE HERE



WEEE REGULATIONS

Dispose of this product at the end of its working life in compliance with the EU Directive on Waste Electrical and Electronic Equipment (WEEE). When the product is no longer required, it must be disposed of in an environmentally protective way. Contact your local solid waste authority for recycling information.

NOTE: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. Please note that other versions of this product are available. If you require documentation for alternative versions, please Email or call our technical team on technical@sealey.co.uk or 01284 757505.

IMPORTANT: No Liability is accepted for incorrect use of this product.

WARRANTY: Guarantee is 12 months from purchase date, proof of which is required for any claim.

Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR



01284 757500



sales@sealey.co.uk



www.sealey.co.uk