

SAFETY DATA SHEET T-CUT ORIGINAL RESTORER TRIGGER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name T-CUT ORIGINAL RESTORER TRIGGER

Product number TCC500, TCO506, TCO806

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Polish.

1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL EUROPE

79 rue du chemin vert

59.273 Fretin

TEL: 03 20 28 06 30 qualite@tetrosyl-france.com

Manufacturer TETROSYL LIMITED

Bury

Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com

1.4. Emergency telephone number

Emergency telephone +44 (0)161 764 5981 (24 hrs)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Skin Sens. 1 - H317

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.

T-CUT ORIGINAL RESTORER TRIGGER

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P261 Avoid breathing vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with national regulations.

Contains 1,2-benzisothiazol-3(2H)-one, 2-METHYLISOTHIAZOL-3(2H)-ONE

Supplementary precautionary

P272 Contaminated work clothing should not be allowed out of the workplace.

statements P321 Specific treatment (see medical advice on this label).

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT;

10-<30%

KEROSINE - UNSPECIFIED

CAS number: — EC number: 926-141-6

Repeated exposure may cause skin dryness or cracking.

Classification

Asp. Tox. 1 - H304

HYDROCARBONS, C9 - C11, n-ALKANES, ISOALKANES,

5-<10%

CYCLICS, <2% AROMATICS

CAS number: — EC number: 919-857-5

Classification

Flam. Liq. 3 - H226 STOT SE 3 - H336 Asp. Tox. 1 - H304

PARAFFIN WAX 3-<5.0%

CAS number: 8002-74-2 EC number: 232-315-6

Classification

Not Classified

ALCOHOLS, C16-18, ETHOXYLATED (APPROX 20 EO)

0.1-<0.3%

M factor (Acute) = 1

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Acute 1 - H400

T-CUT ORIGINAL RESTORER TRIGGER

TITANIUM DIOXIDE 0.1-<0.3%

CAS number: 13463-67-7 EC number: 236-675-5 UK REACH registration number: UK-01-

7336197506-0-0000

Classification

Not Classified

AMMONIA ...100% -<0.05

CAS number: 1336-21-6 EC number: 215-647-6

M factor (Acute) = 1

Classification

Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400

2-METHYLISOTHIAZOL-3(2H)-ONE -<0.05

Corrosive to the respiratory tract.

May cause an allergic skin reaction. This substance has specific concentration limits. ≥0.0015

Classification

Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 2 - H330

Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1A - H317

Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

1,2-benzisothiazol-3(2H)-one -<0.05

CAS number: 2634-33-5 EC number: 220-120-9

M factor (Acute) = 1

Classification

Acute Tox. 4 - H302

Skin Irrit. 2 - H315

Eye Dam. 1 - H318 Skin Sens. 1 - H317

Aquatic Acute 1 - H400

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

T-CUT ORIGINAL RESTORER TRIGGER

General information Get medical attention if any discomfort continues. Move affected person to fresh air and keep

warm and at rest in a position comfortable for breathing. Effects may be delayed. Keep

affected person under observation.

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Get medical attention if any discomfort continues. Rinse mouth thoroughly with water. Give

plenty of water to drink.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention

if any discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Do not rub eye. Get medical attention if any

discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Effects may be delayed. Keep affected person under observation.

Inhalation No specific symptoms known.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder. Water. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Not relevant. No unusual fire or explosion hazards noted.

Hazardous combustion

products

No known hazardous decomposition products.

5.3. Advice for firefighters

Protective actions during

Not relevant.

firefighting

Special protective equipment

Leave danger zone immediately.

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and

surfaces.

6.2. Environmental precautions

T-CUT ORIGINAL RESTORER TRIGGER

Environmental precautions Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up No specific clean-up procedure recommended.

6.4. Reference to other sections

Reference to other sections Collect and dispose of spillage as indicated in Section 13. For personal protection, see

Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Good personal hygiene procedures should

be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Avoid contact with eyes. Avoid eating, drinking and

smoking when using the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PARAFFIN WAX

Long-term exposure limit (8-hour TWA): WEL 2 mg/m³ fume Short-term exposure limit (15-minute): WEL 6 mg/m³ fume

TITANIUM DIOXIDE

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

AMMONIA ...100%

Long-term exposure limit (8-hour TWA): WEL 18 mg/m³ Short-term exposure limit (15-minute): WEL 25 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment







Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

T-CUT ORIGINAL RESTORER TRIGGER

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Provide eyewash station and safety shower. Use appropriate skin cream to prevent drying of

skin. When using do not eat, drink or smoke.

Respiratory protection Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour White/off-white.

Odour Characteristic.

Odour threshold Not determined.

pH (concentrated solution): 7.5 - 9.5

Melting point Not determined.

Initial boiling point and range ~100°C @ 1013 hPa

Flash point 77°C

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 0.995 - 1.015g/cm³ @ 20°C

Solubility(ies)

Partition coefficient

Not determined.

Auto-ignition temperature

Not determined.

Decomposition Temperature

Not determined.

Viscosity 800 - 1200 cP @ 20°C

Oxidising properties Not available.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Not applicable.

reactions

T-CUT ORIGINAL RESTORER TRIGGER

10.4. Conditions to avoid

Conditions to avoid Not relevant.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

products other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

Skin corrosion/irritation

Summary Based on available data the classification criteria are not met.

Serious eye damage/irritation

Summary Based on available data the classification criteria are not met.

Respiratory sensitisation

Summary Based on available data the classification criteria are not met.

Skin sensitisation

Summary Based on available data the classification criteria are not met.

Germ cell mutagenicity

Summary Based on available data the classification criteria are not met.

Carcinogenicity

Summary Based on available data the classification criteria are not met.

Reproductive toxicity

Summary Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Summary Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Summary Based on available data the classification criteria are not met.

Aspiration hazard

Summary Based on available data the classification criteria are not met.

Inhalation No specific health hazards known.

T-CUT ORIGINAL RESTORER TRIGGER

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged contact may cause dryness of the skin. May cause an allergic skin reaction.

Eye contact May cause temporary eye irritation.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish

LC₅₀, 96 hours: 2 - 5mg/l (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT;

KEROSINE - UNSPECIFIED) mg/l, Fish

Acute toxicity - aquatic

EC₅₀, 48 hours: 1.4mg/l (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT;

invertebrates

KEROSINE - UNSPECIFIED) mg/l, Daphnia magna

Acute toxicity - aquatic plants IC50, 72 hours: 1 - 3mg/l (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT;

KEROSINE - UNSPECIFIED) mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability The product is more than 80% biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

Adsorption/desorption

coefficient

Not available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current UK criteria.

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Confirm disposal procedures with environmental engineer and local regulations. Following dilution, discharge to the sewer with plenty of water may be

permitted.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

T-CUT ORIGINAL RESTORER TRIGGER

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Regulatory Department

Revision date 11/11/2022

Revision 1

SDS number 34737

SDS status Approved.

Hazard statements in full H226 Flammable liquid and vapour.

H301 Toxic if swallowed. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

T-CUT ORIGINAL RESTORER TRIGGER